



Heat Treatment Preparation Form

During the treatment process, we will be using high temperature heat combined with high pressure fans. The following items **MUST** be removed from the areas being heat treated and anything else that would be affected by the air movement and the heat created.

- Pets – Including Aquariums
- House plants
- Perishable foods
- Wine bottles and Carbonated Items (pop, beer, etc.)
- Prescription and over the counter medications
- Make-Up and Cosmetics
- VCR Tapes, Cassette Tapes and Vinyl Records
- Waxed based items (Candles, lipstick, crayons and wax figurines, etc.)
- Pressurized Items (fire extinguishers, aerosol cans, oxygen tanks, etc.)
- Wooden and Stringed Instruments – (Leave the case in the treated area)
- Family Heirlooms and irreplaceable items should be inspected and removed
- Fire Arms and Ammunition
- Flammables (lamp oil, solvents, etc.)
- Drain Waterbeds and bladders need to be removed
- Electronics need to be unplugged, they do not need to be removed.
- Pictures – We have not had issues with picture albums and piles of picture; however if you are concerned just inspect them and remove them from the area.
- Pictures and Wall Hangings – Please take them down and set them below where they were hanging.
- If clothing is tightly packed in closets or drawers, we will need to make room for air to circulate around the articles of clothing
- Turn off or disable all alarm systems
- Open all blinds



Post Treatment Expectations

- Temperatures will be elevated upon return. You are welcome to turn on your air conditioning or open windows to make your house comfortable again.
- During the heat treatment some of your belongings may have been shifted or moved to ensure proper heat distribution
- As part of the treatment process we will be using chemical materials in certain areas of the home where it is difficult for heat to saturate. These areas include exterior walls, electrical outlets, and baseboard wall junctions. The purpose of this treatment is to account for any pest that may have been in these areas during the heat process. The heat treatment increases metabolism and gets pest moving; therefore it is not unlikely that you may see a pest or 2 shortly after heat treatment is completed. Do not be alarmed as this can be normal and is the reason for our follow-up procedures. Generally speaking, the 1st follow-up will commence about 7-14 days from your initial treatment. If this occurs and you have questions, please do not hesitate to contact us immediately.
- Though this the safest and most effective treatment in the industry occasionally something may be damaged when working with high temperature heat. If this occurs, rest assured we will accept full responsibility for all items not on the preparation checklist.